



PRESCOTT LUXURY VINYL PLANK COLLECTION

Prescott® Luxury Vinyl Planks come in several styles and colors—from soft subtle hues like cream and dove gray to handsome browns—and it's protected with a 20-mil commercial grade version of CrystaLux Ultra™, a protection layer that provides durability and longevity to protect against everyday wear. This waterproof and maintenance-free 7x48 luxury vinyl flooring is suitable for busy residential and commercial environments, and all grade levels. Prescott's easy-install locking system saves time and money on installation. With “no acclimation” technology, this rigid core flooring allows for buy today, install today convenience. This LVP Collection comes with a lifetime limited residential—with dent warranty, 20-year limited light commercial and 15-year limited commercial warranty.



Akadia

VTRAKADIA7X48-6.5MM-20MIL



Amber Forrester

VTRAMBFOR7X48-6.5MM-20MIL



Austell Grove

VTRAUSGRO7X48-6.5MM-20MIL



Barnstorm

VTRBARSTO7X48-6.5MM-20MIL



Barrell

VTRBARREL7X48-6.5MM-20MIL



Bembridge

VTRBEMBRI7X48-6.5MM-20MIL



Billingham

VTRBILLIN7X48-6.5MM-20MIL



Boswell

VTRBOSWEL7X48-6.5MM-20MIL



Bracken Hill

VTRBRAHIL7X48-6.5MM-20MIL



Braly

VTRBRALY7X48-6.5MM-20MIL



Brianka

VTRBRIANK7X48-6.5MM-20MIL




Brookings

VTRBROKIN7X48-6.5MM-20MIL



Brookline

VTRBROOKL7X48-6.5MM-20MIL



Chester Hills

VTRCHEHIL7X48-6.5MM-20MIL



Cranton

VTRCRANTO7X48-6.5MM-20MIL



Draven

VTRDRAVEN7X48-6.5MM-20MIL



Dulles Tails

VTRDULTAI7X48-6.5MM-20MIL



Dunite Oak

VTRDUNOAK7X48-6.5MM-20MIL



Exotika

VTREXOTIK7X48-6.5MM-20MIL



Fauna

VTRFAUNA7X48-6.5MM-20MIL



Finely

VTRFINELY7X48-6.5MM-20MIL



Grayton

VTRGRAYTO7X48-6.5MM-20MIL



Hawthorne

VTRHAWTHO7X48-6.5MM-20MIL



Honeybella Oak

VTRHONBEL7X48-6.5MM-20MIL



Jenta

VTRJENTA7X48-6.5MM-20MIL



Kardigan

VTRKARDIG7X48-6.5MM-20MIL



Katella Ash

VTRKATASH7X48-6.5MM-20MIL



Lenexa Creek

VTRLENCRE7X48-6.5MM-20MIL




Ludlow

VTRLUDLOW7X48-6.5MM-20MIL



Mezcla

VTRMEZCLA7X48-6.5MM-20MIL



Runmill Isle

VTRRUNISL7X48-6.5MM-20MIL



Ryder

VTRRYDER7X48-6.5MM-20MIL




Sandino

VTRSANDIN7X48-6.5MM-20MIL



Stable

VTRSTABLE7X48-6.5MM-20MIL



Valleyview Grove

VTRVALGRO7X48-6.5MM-20MIL



Walnut Waves

VTRWALWAV7X48-6.5MM-20MIL



Weathered Brina

VTRWEABRI7X48-6.5MM-20MIL

Whitfield Gray

VTRWHTGRA7X48-6.5MM-20MIL

Woburn Abbey

VTRWOBABB7X48-6.5MM-20MIL

Wolfeboro

VTRWOLFEB7X48-6.5MM-20MIL

ASTM (E492-09 / ASTM 989-06) : 72 - drop ceiling / 54 - 6" slab

ASTM D2047 (Coefficient Of Friction) : ≥ 0.6 (Dry)

ASTM E2179 (Impact Sound Reductions) : $\Delta IIC \geq 26$ dB

ASTM F1514 (Heat Stability) : Passes

ASTM F1914 (Residual Indentation) : Passes (PSI Equivalent $> 5,000$ lbs.)

ASTM F925 (Resistance To Chemicals) : Passes

Bevel : Standard

Click Type : Patented Locking System

ASTM 648 (Radiant Panel) : > 0.45 watts/CM², NFPA Class 1

ASTM D5116 (VOC Requirements) : Passes < 100 mg/m

ASTM E662 (Nbs Smoke) : < 450

ASTM F1515 (Light Stability) : Passes

ASTM F2199 (Dimensional Stability) : Passes

Backing Type : 1MM IXPE

Certifications : FloorScore & Greenguard

Color : Beige, Blonde, Brown, Gray-Dark, Gray-Light, Red

Core Thickness : 5.5MM

Enhanced Beveled Edges : No

Indoor-Outdoor : Matching Exterior Pavers Available

LVT Type : Rigid Core

Phillips Castor Chair @ 100 Lbs. : Passes @ 25,000 cycles

Radiant Heating : </files/flyers/rigid-core-everlife-lvt-flyer.pdf>, Yes

Series Name : Prescott

Size Category : Accessories, Pavers, Plank

Texture : Standard Wood Grain

Tile Type : Rigid Core, Vinyl

Warranty : Lifetime Limited Residential, 20-Year Limited Light Commercial, 15-Year Limited Commercial

With Pre-Attached : Engineered Pad

Edge Type : Clean Cut

Finish : Matte

Installation Type : Patented Locking System (Angle / Angle)

Material Type : Lvt

Primary Installation Type : Float Click

Scratch/Scuff/Abrasion Properties : Very Good

Size : 7x48, 8x47

Style : Wood

Thickness : 6.5MM

Type : 100% Waterproof Rigid Core

Wear Layer : 20MIL

Zero Acclimation : Yes