




STUDIO™ LUXURY VINYL PLANK COLLECTION

When you want the best, choose The Everlife Studio® Collection. As the industry's flagship line, Studio offers unmatched durability, industry-leading warranty coverage, and designer-curated styles that set a new standard. Featuring extra-wide 9" x 48" planks and a premium 9MM construction crafted from the finest materials, this is rigid core flooring at its pinnacle.



Adlar

VTRADLAR9X48-9MM-30MIL



Bozeman

VTRBOZMAN9X48-9MM-30MIL



Doack

VTRDOACK9X48-9MM-30MIL



Lark

VTRLARK9X48-9MM-30MIL



Malden

VTRMALDEN9X48-9MM-30MIL

Quillian

VTRQUIIAN9X48-9MM-30MIL

Roswell

VTRROSWEL9X48-9MM-30MIL

Swilcan

VTRSWICAN9X48-9MM-30MIL



Taos

VTRTAOS9X48-9MM-30MIL

Tifton

VTRTIFTON9X48-9MM-30MIL

ANSI A137.1 : Passes

ASTM 648 (Radiant Panel) : >0.45 watts/CM2,
NFPA Class 1

ASTM D5116 (VOC Requirements) : Passes < 100
mg/m

ASTM E662 (Nbs Smoke) : <450

ASTM F1515 (Light Stability) : Passes

ASTM F2199 (Dimensional Stability) : Passes

Certifications : FloorScore & Greenguard

Core Thickness : 4MM

ASTM (E492-09 / ASTM 989-06) : 71 - drop ceiling
53 - 6" slab, 72 - drop ceiling / 54 - 6" slab

ASTM D2047 (Coefficient Of Friction) : ≥0.6 (Dry)

ASTM E2179 (Impact Sound Reductions) : Δ IIC ≥
23 dB, Δ IIC ≥ 26 dB

ASTM F1514 (Heat Stability) : Passes

ASTM F1914 (Residual Indentation) : Passes (PSI
Equivalent > 5,000 lbs.)

ASTM F925 (Resistance To Chemicals) : Passes

Color : Beige, Blonde, Brown

DCOF : >0.42

Edge Type : Clean Cut

Installation Type : Patented Locking System (Angle / Angle)

Material Type : Lvt

Primary Installation Type : Float Click

Series Name : Studio

Size Category : Accessories, Plank

Texture : Standard Wood Grain

Wear Layer : 30MIL

Finish : Ultra Matte

LVT Type : Rigid Core

Phillips Castor Chair @ 100 Lbs. : Passes @ 25,000 cycles

Scratch/Scuff/Abrasion Properties : Very Good

Size : 9x48, 9x60

Style : Wood

Thickness : 9MM

With Pre-Attached : Engineered Pad