

# Series **Slant**



# Slant Taupe Mate 40x120 Rc

40x120 RC



## Technical Data



Series: SLANT

Paste Type: Pasta Blanca

Product: Slant Taupe Mate 40x120 Rc

Slip Resistance R:

Format: 40x120 RC

Class: Clase 1

Sales Group: G.181

UPEC:

Type: WALL TILE

Finish: MATE

Format	Product Type	Pcs/box	m <sup>2</sup> /box	Kg/box	Boxes/pallet	m <sup>2</sup> /pallet	Kg/pallet
40x120 RC	Base	3	1,440	26,650	20,000	28,800	533,000

**SLANT**

Notice: the contents of this packaging list are indicative; actual packaging contents may vary. Please consult our sales representatives for the exact details.

---

## Technical Data Sheet

## Slant Taupe Mate 40x120 Rc



Family:	<b>MATTE WALL TILE</b>
Absorption Group:	<b>BIII</b>
Format:	<b>40x120 RC</b>
Manufacturing Dimensions (mm):	<b>1200 x 400 x 10,8</b>

## PHYSICAL CHARACTERISTICS

CHARACTERISTIC	STANDARD	VALUE
Dimensional tolerances and surface appearance	UNE-EN-ISO 10545-2	COMPLIES WITH STANDARD
Water absorption	UNE-EN-ISO 10545-3	E>10%
Breaking strength (N)	UNE-EN-ISO 10545-4	>600
Flexural strength (N/mm <sup>2</sup> )	UNE-EN-ISO 10545-4	>=12
Thermal shock resistance	UNE-EN-ISO 10545-9	COMPLIES WITH STANDARD
Crazing resistance	UNE-EN-ISO 10545-11	COMPLIES WITH STANDARD
Frost resistance	UNE-EN-ISO 10545-12	INTERIOR USE ONLY
Moisture expansion (mm/m)	UNE-EN-ISO 10545-10	0,2
Linear thermal expansion from 200°C to 1000°C	UNE-EN-ISO 10545-8	5,2x10 <sup>-6</sup> °C <sup>-1</sup>
Reaction to fire	UNE-EN-ISO 13501-1	A1
DCOF	DCOF	

**CHEMICAL CHARACTERISTICS**

<b>CHARACTERISTIC</b>	<b>STANDARD</b>	<b>VALUE</b>
Stain resistance	UNE-EN-ISO 10545-14	COMPLIES
Resistance to chemical products and pool salts	UNE-EN-ISO 10545-13	COMPLIES
Resistance to high-concentration acids and alkalis	UNE-EN-ISO 10545-13	MIN HB
Resistance to low-concentration acids and alkalis	UNE-EN-ISO 10545-13	MIN LB